
TUTORIAL FOR HIGH-SPEED ROLL UP DOOR QUESTIONNAIRE - NOVOROLL



Pol. Ind. Guarnizo Parcelas 81-82
39611 Guarnizo – Cantabria
www.novofermalsal.com

BASIC DATA

CLIENT:
REF.:
DATE:
FINAL CLIENT/DELIVERY ADDRESS:

ORDER (Send to jpgomez@novoformalsal.com)
OFFER
QUANTITY:

ONLY FOR
NOVOROLL
FOOD
VERSION

FOOD VERSION (Stainless steel guides, cover over roller and cover over drive)

IMPORTANT

TECHNICAL DATA

DIMENSIONS:

L (Width): mm
H (Height): mm
DX: 115+50 (shaft) mm
SX: 115 + 320 (drive) mm
h: 380 mm
A: 230 mm

STRUCTURE:

Standard RAL 7011 RAL 9016
Other colour RAL: write GALVANIZED if is not lacquered

CURTAIN:

Color (900 gr/m²):

White 9016 Blue 5005
Yellow 1003 Blue 5002
Orange 2004 Grey 7038
Red 3002 Black 9005
Green 6026

Standard: 1 Transparent strip at eye level

Strip with net PVC windows instead of transparent PVC

Logo on the curtain: (always on the bottom profile)

Yes (Send it attached) **CHOOSE 1 OF THE 2 OPTIONS**
No

DRIVE + BOX CONTROL:

Standard 5.250 FU **OPTIONAL**

Side seen inside:

ESSENTIAL DATA

Left Right

Cover over drive
Standard: Box control TS 971

Black
Orange **OPTIONAL** TS 981

ACCESSORIES:

Mandatory: Light curtain

Emergency stop On box control

Push button

Mushroom push button

Push button up-stop-down

Pull switch Support bar mm

Inductive loop detector 1 side 2 sides

Radar: Falcon (motion sensor)

Radar: Condor (motion and presence sensor)

Flash lights

Remote control 2 channel 4 channel

INSTALLATION IN:

Iron

Concrete

Others:

LANGUAGE OF THE MANUALS:

Spanish

English

French



Dutch

German **CHOOSE 1 OF THE 5 OPTIONS**

Other accesories and comments:

INDICATE
ADDITIONAL
ACCESORIES,
COMMENTS,
INDICATIONS...

Completed by the client:
Date and signature:



ITINERARY:

- Red indicates the sections that are mandatory to select. If they are not marked, the questionnaire is incomplete and the order cannot be processed correctly. PAY ATTENTION TO THE ESSENTIAL DATA.

- Green shows the options which, if marked, modify the "standard" configuration of the door.

- Blue shows the FOOD model option for NovoRoll door. If selected, the "STRUCTURE" section is no longer relevant, since it (guides, roll cover and drive cover) will be made of STAINLESS STEEL 304 and therefore will not be lacquered.