
TUTORIAL FOR HIGH-SPEED SELF-REPAIRING DOOR QUESTIONNAIRE - NOVOZIP



Pol. Ind. Guarnizo Parcelas 81-82
39611 Guarnizo – Cantabria
www.novofermalsal.com



NOVOZIP SPEED-DOOR TECHNICAL QUESTIONNAIRE TUTORIAL

IMPORTANT

CLIENT:
REF.:
DATE:
FINAL CLIENT/DELIVERY ADDRESS:

ORDER (Send it to jpgomez@novofermalsal.com)
OFFER

QUANTITY:


CLEAN VERSION (Stainless steel structure, cover over roller and cover over drive with 15° inclination. Air permeability class 3)

TECHNICAL DATA

DIMENSIONS:

L (Width): mm
H (Height): mm
DX: 110 mm
SX: 110 + 320 (drive) mm
h: 500 mm
A: 320 mm

ONLY FOR
NOVOZIP FOOD
VERSION



STRUCTURE:

Standard RAL 7011 RAL 9016
Other colour RAL:

STAINLESS STEEL 304 (guides, cover over roller and cover over drive)
Write GALVANIZED if it is not lacquered

Installation place: Between interiors In contact with outside (with bottom reinforcement)

Opening by counterweight (max. 3000x3000, Dx = 250mm)

CURTAIN:

Colour (900 gr/m²):

White 9016 Blue 5005
Yellow 1003 Blue5002
Orange 2004 Grey 7038
Red 3002 Black 9005
Green 6026

INSULATED CURTAIN

No windows
1 window row
2 window rows
3 window rows
4 window rows

Standard: 1 window 1000x500 mm, 2 windows for width over 2.500 mm

Insect net windows instead of transparent PVC

EMERGENCY EXIT DOOR ONLY FOR NOVOEMERGENCY VERSION

Logo: Yes (Send it attached if it is not the Novoferm Logo) No

DRIVE + BOX CONTROL:

Standard: 5.250 FU 8.180 OPTIONAL Side seen inside: Left Right

Standard: Box control TS 971 black TS 981 T100R FU (1,5 Kw)

ACCESORIES:

Standard: Light curtain
Emergency stop On box control
Push button
Mushroom push button
Push button up-stop-down
Pull switch Support bar mm
Inductive loop detector 1 side 2 sides
Radar: Falcon (motion sensor)
Radar: Condor (motion and presence sensor)
Flash lights
Remote control 2 channel 4 channel

INSTALLATION IN:

Iron Concrete Other:

→ CHOOSE 1 OF THE 3 OPTIONS

LANGUAGE OF THE MANUALS:

Spanish English French Dutch German

→ CHOOSE 1 OF THE 5 OPTIONS

Other accessories and comments:

Completed by the client:

Date and signature:

2022 - V 1.0

ITINERARY:

- Red indicates the fields that are mandatory to select. If they are not marked, the questionnaire is incomplete and the order cannot be processed correctly. PAY ATTENTION TO THE ESSENTIAL DATA.
- Green indicates options that replace "standard" door settings if they are selected.
- Blue shows the options which, if they are marked, indicate that the door model is special:

NOVOZIP FOOD
NOVOCLEAN
NOVOEMERGENCY
NOVOISO

* Note: it is possible to combine NOVOZIP FOOD with NOVOISO or NOVOEMERGENCY.

* Note: if the FOOD model is selected, the "STRUCTURE" field is no longer relevant, since the same (guides, roll cover and motor cover) will be made of STAINLESS STEEL 304 and therefore will not be lacquered.